

Marine Trap Mesh




PVC Coated Wire Mesh

for fabrication of traps & pots for crab, lobster,
crawfish, shrimp, eel, & aquaculture applications




1/4" x 1/4" PVC Coated Mesh



23 Gauge (shown)		
Width	Length	Roll Weight
24"	100'	65 lbs
30"	100'	80 lbs
36"	100'	92 lbs
48"	100'	123 lbs

1/2" x 1/2" PVC Coated Mesh




16 Gauge (shown)		
Width	Length	Roll Weight
24"	100'	131 lbs
30"	100'	163 lbs
36"	100'	196 lbs
48"	100'	260 lbs

1" x 1/2" PVC Coated Mesh



16 Gauge (shown)		
Width	Length	Roll Weight
24"	100'	94 lbs
30"	100'	117 lbs
36"	100'	139 lbs
48"	100'	185 lbs

1- 1/2" PVC Coated Hex Mesh



17-1/2 Gauge (shown)		
Width	Length	Roll Weight
24"	150'	58 lbs
72**	150'	173 lbs
18 Gauge		
Width	Length	Roll Weight
24"	150'	72 lbs


*Nonstandard

1" x 1" PVC Coated Mesh




12 Gauge (shown)		
Width	Length	Roll Weight
18"	100'	128 lbs
24"	100'	170 lbs
30"	100'	212 lbs
36"	100'	254 lbs
48"	100'	337 lbs
14 Gauge		
Width	Length	Roll Weight
18"	100'	74 lbs
24"	100'	99 lbs
30"	100'	123 lbs
36"	100'	148 lbs
48"	100'	193 lbs
60"	100'	241 lbs
72"	100'	289 lbs

1-1/2" x 1-1/2" PVC Coated Mesh



12 Gauge (shown)		
Width	Length	Roll Weight
36"	100'	129 lbs
48"	100'	170 lbs
72"	100'	254 lbs
15/14 Gauge		
Width	Length	Roll Weight
24"	150'	93 lbs

2" x 2" PVC Coated Mesh



12 Gauge (shown)		
Width	Length	Roll Weight
36"	100'	129 lbs
48"	100'	170 lbs
72"	100'	254 lbs
14 Gauge		
Width	Length	Roll Weight
18"	100'	40 lbs
24"	100'	49 lbs
36"	100'	79 lbs
48"	100'	99 lbs
60"	100'	123 lbs
72"	100'	148 lbs

Quick Guide to Wire Gauges

23 Gauge Wire
 Nominal diameter 0.0258"
 Nominal coating thickness . . . 0.015"

20 Gauge Wire
 Nominal diameter 0.041"
 Nominal coating thickness 0.015"

18 Gauge Wire
 Nominal diameter 0.0475"
 Nominal coating thickness 0.015"

17.5 Gauge Wire
 Nominal diameter 0.051"
 Nominal coating thickness 0.015"

16 Gauge Wire
 Nominal diameter 0.0625"
 Nominal coating thickness 0.015"

14 Gauge Wire
 Nominal diameter 0.080"
 Nominal coating thickness 0.017"


12 Gauge Wire
 Nominal diameter 0.1055"
 Nominal coating thickness 0.020"

Shepherd Fuse Bonded PVC-coated wire begins with high-quality galvanized steel wire which is twisted or welded into a tough, strong mesh. The mesh is then carefully cleaned and primed. The PVC coating is "fuse-bonded" to the heated wire mesh through a special, exacting process. This special process provides a strong, smooth, durable coating without pinholes or thin spots.


All meshes are shown approximate size. Mesh sizes listed are those most commonly used in these industries. Other mesh configurations, gauges and coil widths are available. In some cases, a minimum order quantity may be required.

Standard PVC color is black. Mesh may also be available in green, grey, orange, red, yellow or additional colors. Mesh shown may be available galvanized only.

Typical Cross Section View Shepherd PVC Coated Wire



Quick Guide to Roll & Mesh Dimensions



Revised 09/29/03



C. E. Shepherd Company

2221 Canada Dry Street, Houston, TX 77023 • 713.924.4300 • 713.928.2324 fax • www.ceshepherd.com